Safety Data Sheet according to Regulation (EU) 2015/830 Date of issue: Revision date: 10/14/2016



Version: 1.0

. Product identifier	
oduct form	: Mixture
oduct name	: Arditex NA Powder
oduct code	: 18288
2. Relevant identified uses of th	e substance or mixture and uses advised against
2.1. Relevant identified uses	
ain use category	: Consumer use, Professional use
se of the substance/mixture	: Floor Levelling Compounds
2.2. Uses advised against	
o additional information available	
3. Details of the supplier of the	safety data sheet
l anufacturer rdex UK Limited omefield Road B9 8QP Haverhill Suffolk 01440 714939 - F 01440 716667 afetydatasheets@ardex.co.uk	
4. Emergency telephone number	r
mergency number	: +44 (0) 870 190 6777
ECTION 2: Hazards identificat 1. Classification of the substance lassification according to Regulation erious eye damage/eye irritation, ategory 2 ull text of hazard classes and H-statement	ce or mixture (EC) No. 1272/2008 [CLP] H319
1. Classification of the substance lassification according to Regulation erious eye damage/eye irritation, ategory 2 ull text of hazard classes and H-statement dverse physicochemical, human heat	tion ce or mixture (EC) No. 1272/2008 [CLP] H319 ents : see section 16 Ith and environmental effects
1. Classification of the substance lassification according to Regulation erious eye damage/eye irritation, ategory 2 ull text of hazard classes and H-stateme dverse physicochemical, human heal auses skin irritation. Causes serious eye	tion ce or mixture (EC) No. 1272/2008 [CLP] H319 ents : see section 16 Ith and environmental effects
 Classification of the substance lassification according to Regulation erious eye damage/eye irritation, ategory 2 ull text of hazard classes and H-statement dverse physicochemical, human heat auses skin irritation. Causes serious eye 2. Label elements 	tion ce or mixture (EC) No. 1272/2008 [CLP] H319 ents : see section 16 Ith and environmental effects e damage.
1. Classification of the substance lassification according to Regulation erious eye damage/eye irritation, ategory 2 ull text of hazard classes and H-stateme dverse physicochemical, human heat auses skin irritation. Causes serious eye	tion ce or mixture (EC) No. 1272/2008 [CLP] H319 ents : see section 16 Ith and environmental effects e damage.) No. 1272/2008 [CLP]
 Classification of the substance lassification according to Regulation erious eye damage/eye irritation, ategory 2 ull text of hazard classes and H-statement dverse physicochemical, human heal auses skin irritation. Causes serious eye 2. Label elements abelling according to Regulation (EC) azard pictograms (CLP) 	tion ce or mixture (EC) No. 1272/2008 [CLP] H319 ents : see section 16 Ith and environmental effects e damage. No. 1272/2008 [CLP] \vdots GHS07
 Classification of the substance lassification according to Regulation erious eye damage/eye irritation, ategory 2 ull text of hazard classes and H-statement dverse physicochemical, human heal auses skin irritation. Causes serious eye Label elements abelling according to Regulation (EC) azard pictograms (CLP) 	tion ce or mixture (EC) No. 1272/2008 [CLP] H319 ents : see section 16 Ith and environmental effects e damage.) No. 1272/2008 [CLP]
 Classification of the substant lassification according to Regulation erious eye damage/eye irritation, ategory 2 ull text of hazard classes and H-stateme dverse physicochemical, human heal auses skin irritation. Causes serious eye 2. Label elements abelling according to Regulation (EC) azard pictograms (CLP) ignal word (CLP) azardous ingredients 	tion ce or mixture (EC) No. 1272/2008 [CLP] H319 ents : see section 16 Ith and environmental effects e damage. No. 1272/2008 [CLP] i j j j j j j j j
 Classification of the substance lassification according to Regulation erious eye damage/eye irritation, ategory 2 ull text of hazard classes and H-statement dverse physicochemical, human heal auses skin irritation. Causes serious eye 2. Label elements abelling according to Regulation (EC) azard pictograms (CLP) 	tion ce or mixture (EC) No. 1272/2008 [CLP] H319 ents : see section 16 Ith and environmental effects e damage. No. 1272/2008 [CLP] : : : : : : : : : : : : :

2.3. Other hazards

PBT: not relevant - no registration required

Safety Data Sheet

according to Regulation (EU) 2015/830

vPvB: not relevant - no registration required

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Portland cement	(CAS No) 65997-15-1 (EC no) 266-043-4	1 - 3	STOT SE 3, H335 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317

Comments

: Chromium (VI) compounds < 2 ppm

Full text of H-statements: see section 16

SECT	ION 4: First aid measures	
4.1.	Description of first aid measures	
First-aid	I measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid	I measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid	I measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid	I measures after ingestion	: If the person is fully conscious, make him/her drink plenty of water. Never give an unconscious person anything to drink.
4.2.	Most important symptoms and effe	cts, both acute and delayed
Sympto	ms/injuries after skin contact	: Irritation.
Sympto	ms/injuries after eye contact	: Serious damage to eyes.
4.3.	Indication of any immediate medica	I attention and special treatment needed
-	mptomatically.	
	ION 5: Firefighting measures	
5.1.	Extinguishing media	· Non-flommobile
Suitable	extinguishing media	: Non flammable.
5.2.	Special hazards arising from the su	
Fire haz	zard	: No fire hazard.
•	on hazard	: None.
Hazardo fire	ous decomposition products in case of	: None.
5.3.	Advice for firefighters	
Precaut	ionary measures fire	: No specific measures are necessary.
Protecti	on during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECT	ION 6: Accidental release mea	sures
6.1.	Personal precautions, protective ed	uipment and emergency procedures
General	measures	: Absorb spillage to prevent material damage.
6.1.1.	For non-emergency personnel	
	ve equipment	: Precautions for safe handling. See Heading 7.
	ncy procedures	: Avoid contact with skin and eyes.
6.1.2.	_	
	For emergency responders ncy procedures	: No specific measures are necessary.
-		. No specific fileasures are filecessary.
6.2.	Environmental precautions	
	entry to sewers and public waters.	
6.3.	Methods and material for containm	ent and cleaning up
For con	tainment	: Collect spillage.
Method	s for cleaning up	: Recover mechanically the product. Minimize generation of dust. Collect spillage. Do not use compressed air for cleaning.
10/14/20	16	GB - en 2/6

Safety Data Sheet

according to Regulation (EU) 2015/830

6.4. Reference to other sections	
For further information refer to section 13.5	See Heading 8.
SECTION 7: Handling and storage	ye
7.1. Precautions for safe handling	
Additional hazards when processed	: See Heading 8.
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Wear protective gloves. Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage conditions	: Protect from moisture. Store in a dry place.
Incompatible materials	: None.
Storage area	: dry.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/	personal protection
8.1. Control parameters	
Portland cement (65997-15-1)	

Portland cement (65997-15-1)		
United Kingdom	Local name	Portland cement
United Kingdom	WEL TWA (mg/m³)	10 mg/m ³ Portland cement inhalable dust; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005); Portland cement respirable dust; 4 mg/m ³ ; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Respiratory protection not required in normal conditions. In case of splash hazard: safety glasses. Dust formation: dust mask.

Hand protection:

Protective gloves

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	1,0		EN 388

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition	Standard
Disposable half mask	Туре Р1, Туре Р2	Dust protection	EN 149



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical a	and chemical properties	
9.1. Information on bas	sic physical and chemical properties	
Physical state	: Solid	
Appearance	: Powder.	
10/14/2016	GB - en	3/6

Safety Data Sheet

Caloty Data Choot					
according to Regulation (EU) 2015/830					
Colour	: Grey. white.				
Odour	: odourless.				
Odour threshold	: No data available				
рН	: 11 - 12.5				
Relative evaporation rate (butyl acetate=1)	: No data available				
Melting point	: > 1250 °C				
Freezing point	: Not applicable				
Boiling point	: No data available				
Flash point	: Not applicable				
Auto-ignition temperature	: Not applicable				
Decomposition temperature	: No data available				
Flammability (solid, gas)	: Non flammable				
Vapour pressure	: No data available				
Relative vapour density at 20 °C	: No data available				
Relative density	: Not applicable				
Density	: 2.75 - 3.2 g/cm ³				
Solubility	: Water: 0.1 - 1.5 g/l @ 20°C				
Log Pow	: No data available				
Viscosity, kinematic	: Not applicable				
Viscosity, dynamic	: No data available				
Explosive properties	: None.				
Oxidising properties	: None.				
Explosive limits	: Not applicable				
9.2. Other information					
Bulk density	: 900 - 1300 kg/m³				
SECTION 10: Stability and reactivity	y				
10.1. Reactivity					
Reacts with water.					
10.2. Chemical stability					
Stable under normal conditions.					
10.3. Possibility of hazardous reactions					
No dangerous reactions known under normal					
10.4. Conditions to avoid					
	ng conditions (see section 7)				
_	None under recommended storage and handling conditions (see section 7).				
10.5. Incompatible materials					
Acids. ammonium salts. Aluminium.					
10.6. Hazardous decomposition products					
No hazardous decomposition products known.					
SECTION 11: Toxicological inform	ation				
11.1. Information on toxicological effect					
Acute toxicity	: Not classified				
Skin corrosion/irritation	: Not classified				
	pH: 11 - 12.5				
Serious eye damage/irritation	: Causes serious eye irritation.				
Description of the second states of the states	pH: 11 - 12.5				
Respiratory or skin sensitisation	: Not classified				

11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
	pH: 11 - 12.5
Serious eye damage/irritation	: Causes serious eye irritation.
	pH: 11 - 12.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

c Data Shoot

Safety Data Sheet	
according to Regulation (EU) 2015/830	
Potential adverse human health effects and symptoms	: Irritation: severely irritant to eyes.
SECTION 12: Ecological information	n .
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Portland cement (65997-15-1)	
LC50 fish 1	> 1000 mg/l (LC50; 96 h)
12.2. Persistence and degradability	
Arditex NA Powder	
Persistence and degradability	Not applicable. Inorganic Particulate Substances.
Portland cement (65997-15-1)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
12.3. Bioaccumulative potential	
Arditex NA Powder	
Bioaccumulative potential	No bioaccumulation.
Portland cement (65997-15-1)	
Bioaccumulative potential	Bioaccumulation: not applicable.
12.4. Mobility in soil	
Arditex NA Powder	
Ecology - soil	None.
12.5. Results of PBT and vPvB assessme	ent
Arditex NA Powder	
PBT: not relevant – no registration required	
vPvB: not relevant – no registration required	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideratio	ns
13.1. Waste treatment methods	
Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Waste disposal recommendations	:	Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.

Ecology - waste materials : Avoid release to the environment.

: 17 01 01 - concrete

European List of Waste (LoW) code 10 13 14 - waste concrete and concrete sludge

SECTION 14: Transport information

In accordance with ADR / IATA / IMDG

ADR	IMDG	ΙΑΤΑ
14.1. UN number		
Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name		
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Not applicable	Not applicable	Not applicable
No supplementary information available		

Safety Data Sheet

according to Regulation (EU) 2015/830

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation

ARDEX SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product