

Safety Data Sheet according to Regulation (EU) 2015/830 Date of issue: 8/10/2016 Revision date:



Version: 1.0

.1. Product identifier	
Product form	: Mixture
Product name	: ARDEX F 5
roduct code	: 56149
2. Relevant identified uses of th	e substance or mixture and uses advised against
.2.1. Relevant identified uses	
lain use category	: Consumer use, Professional use
se of the substance/mixture	: Wall Smoothing Compounds
2.2. Uses advised against	
o additional information available	
.3. Details of the supplier of the	safety data sheet
Manufacturer Ardex UK Limited Homefield Road CB9 8QP Haverhill Suffolk ⁻ 01440 714939 - F 01440 716667 Hafetydatasheets@ardex.co.uk	
.4. Emergency telephone number	r
mergency number	: +44 (0) 870 190 6777 24 Hours
ECTION 2: Hazards identificat	tion
.1. Classification of the substand	ce or mixture
1. Classification of the substant lassification according to Regulation	ce or mixture
2.1. Classification of the substance Classification according to Regulation Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation,	ce or mixture (EC) No. 1272/2008 [CLP]
Classification according to Regulation Skin corrosion/irritation, Category 2	ce or mixture (EC) No. 1272/2008 [CLP] H315 H318
.1. Classification of the substance classification according to Regulation ikin corrosion/irritation, Category 2 eerious eye damage/eye irritation, category 1 full text of hazard classes and H-statement adverse physicochemical, human heal	ce or mixture (EC) No. 1272/2008 [CLP] H315 H318 Ints : see section 16 Ith and environmental effects
2.1. Classification of the substance Classification according to Regulation Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 1 Full text of hazard classes and H-stateme Adverse physicochemical, human heat Causes skin irritation. Causes serious eye	ce or mixture (EC) No. 1272/2008 [CLP] H315 H318 Ints : see section 16 Ith and environmental effects
Classification of the substance Classification according to Regulation Schwarzener Serious eye damage/eye irritation, Category 1 Stult text of hazard classes and H-statemed Adverse physicochemical, human head Causes skin irritation. Causes serious eye Causes skin irritation. Causes serious eye Label elements	ce or mixture (EC) No. 1272/2008 [CLP] H315 H318 Ints : see section 16 Ith and environmental effects e damage.
Classification of the substance Classification according to Regulation Schwarzen Strategory 1 Serious eye damage/eye irritation, Category 1 Sult text of hazard classes and H-stateme Adverse physicochemical, human heal Causes skin irritation. Causes serious eye Serious eye damage/eye irritation, Causes skin irritation. Causes serious eye Schwarzen State Causes skin irritation. Causes serious eye Schwarzen State Causes skin irritation. Causes serious eye Caus	ce or mixture (EC) No. 1272/2008 [CLP] H315 H318 Ints : see section 16 Ith and environmental effects e damage.
2.1. Classification of the substance Classification according to Regulation Skin corrosion/irritation, Category 2 Gerious eye damage/eye irritation, Category 1 Full text of hazard classes and H-stateme Adverse physicochemical, human heal Causes skin irritation. Causes serious eye	ce or mixture (EC) No. 1272/2008 [CLP] H315 H318 Ints : see section 16 Ith and environmental effects e damage.
Image: Adverse physicochemical, human heal Causes skin irritation. Causes serious eye Causes skin i	ce or mixture (EC) No. 1272/2008 [CLP] H315 H318 ents : see section 16 th and environmental effects e damage. No. 1272/2008 [CLP]
1. Classification of the substant lassification according to Regulation kin corrosion/irritation, Category 2 erious eye damage/eye irritation, ategory 1 ull text of hazard classes and H-stateme dverse physicochemical, human heal causes skin irritation. Causes serious eye 2. Label elements abelling according to Regulation (EC) azard pictograms (CLP)	ce or mixture (EC) No. 1272/2008 [CLP] H315 H318 ints : see section 16 ith and environmental effects e damage. No. 1272/2008 [CLP] Image:
1. Classification of the substant lassification according to Regulation kin corrosion/irritation, Category 2 erious eye damage/eye irritation, ategory 1 ull text of hazard classes and H-stateme dverse physicochemical, human heal auses skin irritation. Causes serious eye .2. Label elements abelling according to Regulation (EC) azard pictograms (CLP)	ce or mixture (EC) No. 1272/2008 [CLP] H315 H318 H318 H318 Hand environmental effects e damage. No. 1272/2008 [CLP] : GHS05 : Danger
 Classification of the substant lassification according to Regulation kin corrosion/irritation, Category 2 erious eye damage/eye irritation, ategory 1 ull text of hazard classes and H-stateme dverse physicochemical, human heal auses skin irritation. Causes serious eye 2. Label elements abelling according to Regulation (EC) azard pictograms (CLP) ignal word (CLP) azardous ingredients 	ce or mixture (EC) No. 1272/2008 [CLP] H315 H318 H
.1. Classification of the substance classification according to Regulation ikin corrosion/irritation, Category 2 serious eye damage/eye irritation, ategory 1 'ull text of hazard classes and H-stateme adverse physicochemical, human heal causes skin irritation. Causes serious eye .2. Label elements abelling according to Regulation (EC)	ce or mixture (EC) No. 1272/2008 [CLP] H315 H318 H318 H318 Hand environmental effects e damage. No. 1272/2008 [CLP] : GHS05 : Danger
.1. Classification of the substance classification according to Regulation exin corrosion/irritation, Category 2 terious eye damage/eye irritation, category 1 full text of hazard classes and H-stateme causes skin irritation. Causes serious eye .2. Label elements abelling according to Regulation (EC) lazard pictograms (CLP)	<pre>se or mixture (EC) No. 1272/2008 [CLP] H315 H318 onts : see section 16 th and environmental effects e damage. No. 1272/2008 [CLP]</pre>

Safety Data Sheet

according to Regulation (EU) 2015/830

2.3. Other hazards

PBT: not relevant – no registration required

vPvB: not relevant - no registration required

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Portland cement	(CAS No) 65997-15-1 (EC no) 266-043-4	> 3	STOT SE 3, H335 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317

Comments

: Chromium (VI) compounds < 2 ppm

Full text of H-statements: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.		
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.		
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.		
First-aid measures after ingestion	: If the person is fully conscious, make him/her drink plenty of water. Never give an unconscious person anything to drink.		
4.2. Most important symptoms and effect	ts, both acute and delayed		
Symptoms/injuries after skin contact	: Irritation.		
Symptoms/injuries after eye contact	: Serious damage to eyes.		
4.3. Indication of any immediate medical	attention and special treatment needed		
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Non flammable.		
5.2. Special hazards arising from the sub	stance or mixture		
Fire hazard	: No fire hazard.		
Explosion hazard	: None.		
Hazardous decomposition products in case of fire	: None.		
5.3. Advice for firefighters			
Precautionary measures fire	: No specific measures are necessary.		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		
SECTION 6: Accidental release meas	ures		
6.1. Personal precautions, protective equ	ipment and emergency procedures		
General measures	: Absorb spillage to prevent material damage.		
6.1.1. For non-emergency personnel			
Protective equipment	: Precautions for safe handling. See Heading 7.		
Emergency procedures	: Avoid contact with skin and eyes.		
6.1.2. For emergency responders			
Emergency procedures	: No specific measures are necessary.		
6.2. Environmental precautions			
Prevent entry to sewers and public waters.			
6.3. Methods and material for containment and cleaning up			
For containment	: Collect spillage.		

Safety Data Sheet

Methods for cleaning up

according to Regulation (EU) 2015/830

:	Recover mechanically the product. Minimize generation of dust. Collect spillage. Do not use
	compressed air for cleaning.

6.4. Reference to other sections

For further information refer to section 13. See Heading 8.

SECTION 7: Handling and storag	e		
7.1. Precautions for safe handling			
Additional hazards when processed	: See Heading 8.		
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.		
Hygiene measures	Wear protective gloves. Do not eat, drink or smoke when using this product.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions	: Protect from moisture. Store in a dry place.		
Incompatible materials	: None.		
Storage area	: dry.		

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Portland cement (65997-15-1)			
United Kingdom	Local name	Portland cement	
United Kingdom	WEL TWA (mg/m³)	10 mg/m ³ Portland cement inhalable dust; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005); Portland cement respirable dust; 4 mg/m ³ ; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)	

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Respiratory protection not required in normal conditions. In case of splash hazard: safety glasses. Dust formation: dust mask.

Hand protection:

Protective gloves

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,15		EN 388

Eye protection:

Safety glasses

Туре	Use	Characteristics	Standard
Safety glasses	Dust, Droplet		EN 166

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition	Standard
Disposable half mask Type P1, Type P2		Dust protection	EN 149



Environmental exposure controls:

Avoid release to the environment.

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties			
9.1.	9.1. Information on basic physical and chemical properties		
Physica	al state	: Solid	
Appear	ance	: Powder.	
Colour		: Grey. white.	
Odour		: odourless.	
Odour	threshold	: No data available	
pН		: 11 - 12.5	
Relative	e evaporation rate (butyl acetate=1)	: No data available	
Melting	point	: > 1250 °C	
Freezin	ig point	: Not applicable	
Boiling	point	: No data available	
Flash p	oint	: Not applicable	
Auto-ig	nition temperature	: Not applicable	
Decom	position temperature	: No data available	
Flamma	ability (solid, gas)	: Non flammable	
Vapour	pressure	: No data available	
Relative	e vapour density at 20 °C	: No data available	
Relative	e density	: Not applicable	
Density	,	: 2.75 - 3.2 g/cm³	
Solubili	ty	: Water: 0.1 - 1.5 g/l @ 20°C	
Log Po	w	: No data available	
Viscosi	ty, kinematic	: Not applicable	
Viscosi	ty, dynamic	: No data available	
Explosi	ve properties	: None.	
Oxidisi	ng properties	: None.	
Explosi	ve limits	: Not applicable	
9.2.	Other information		
Bulk de		: 900 - 1300 kg/m³	
SECT	ION 10: Stability and reactivit	у	
10.1.	Reactivity		
Reacts	with water.		
10.2.	Chemical stability		
Stable	under normal conditions.		
10.3.	Possibility of hazardous reactions		
No dan	gerous reactions known under normal c		
10.4.	-		
	0.4. Conditions to avoid None under recommended storage and handling conditions (see section 7).		
10.5.			
Acias. a	ids. ammonium salts. Aluminium.		
10.6.			
No haz	ardous decomposition products known.		
OF OF	ION 44. Toxicological informed		
	SECTION 11: Toxicological information		
11.1.	Information on toxicological effect		
Acute t	oxicity	: Not classified	
Skin co	Skin corrosion/irritation : Causes skin irritation.		
		pH: 11 - 12.5	
Serious	s eye damage/irritation	: Causes serious eye damage.	

		pH: 11 - 12.5
Serious eye damage/irritation	:	Causes serious eye damag
		pH: 11 - 12.5
Respiratory or skin sensitisation	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
Specific target organ toxicity (single exposure)	:	Not classified

Safety Data Sheet

Caloty Data Cheet	
according to Regulation (EU) 2015/830	
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Irritation: severely irritant to eyes.
SECTION 12: Ecological information	n
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Portland cement (65997-15-1)	
LC50 fish 1	> 1000 mg/l (LC50; 96 h)
12.2. Persistence and degradability	
ARDEX F 5	
Persistence and degradability	Not applicable. Inorganic Particulate Substances.
Portland cement (65997-15-1)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
12.3. Bioaccumulative potential	
ARDEX F 5	
Bioaccumulative potential	No bioaccumulation.
Portland cement (65997-15-1)	
Bioaccumulative potential	Bioaccumulation: not applicable.
12.4. Mobility in soil	
ARDEX F 5	
Ecology - soil	None.
12.5. Results of PBT and vPvB assessme	ent
ARDEX F 5	
PBT: not relevant – no registration required	
vPvB: not relevant – no registration required	
12.6. Other adverse effects	

No additional information available

SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Regional legislation (waste)	: Disposal must be done according to official regulations.		
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.		
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.		
Ecology - waste materials	: Avoid release to the environment.		
European List of Waste (LoW) code	: 17 01 01 - concrete 10 13 14 - waste concrete and concrete sludge		

SECTION 14: Transport information

In accordance with ADR / IATA / IMDG				
ADR	IMDG	ΙΑΤΑ		
14.1. UN number				
Not applicable	Not applicable	Not applicable		
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable		
Not applicable	Not applicable	Not applicable		
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable		
Not applicable	Not applicable	Not applicable		

Safety Data Sheet

according to Regulation (EU) 2015/830

ADR	IMDG	ΙΑΤΑ	
14.4. Packing group			
Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	
No supplementary information available			

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H335	May cause respiratory irritation

ARDEX SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product