

Version: 1.0

SECTION 1: Identification of the	e cabetanoeninktare and er tre company, andertaking
.1. Product identifier	
Product form	: Mixture
roduct name	: ARDEX FA 10
roduct code	: 18276
.2. Relevant identified uses of th	e substance or mixture and uses advised against
.2.1. Relevant identified uses	
lain use category	: Consumer use, Professional use
Jse of the substance/mixture	: Floor Smoothing Compound
I.2.2. Uses advised against	
No additional information available	
.3. Details of the supplier of the	safety data sheet
Manufacturer Ardex UK Limited Homefield Road CB9 8QP Haverhill Suffolk T 01440 714939 - F 01440 716667 safetydatasheets@ardex.co.uk	
1.4. Emergency telephone numbe	r
Emergency number	: +44 (0) 870 190 6777 24 Hours
2.1. Classification of the substand	ce or mixture
2.1. Classification of the substance Classification according to Regulation Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 1 Full text of hazard classes and H-stateme Adverse physicochemical, human heal	ce or mixture (EC) No. 1272/2008 [CLP] H315 H318 ents : see section 16 Ith and environmental effects
2.1. Classification of the substance Classification according to Regulation Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 1 Full text of hazard classes and H-stateme Adverse physicochemical, human heal Causes skin irritation. Causes serious eye	ce or mixture (EC) No. 1272/2008 [CLP] H315 H318 ents : see section 16 Ith and environmental effects
Classification according to Regulation Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 1 Full text of hazard classes and H-stateme Adverse physicochemical, human heal Causes skin irritation. Causes serious eye	ce or mixture (EC) No. 1272/2008 [CLP] H315 H318 ents : see section 16 Ith and environmental effects e damage.
2.1. Classification of the substance Classification according to Regulation Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 1 Full text of hazard classes and H-stateme Adverse physicochemical, human heal Causes skin irritation. Causes serious eye 2.2. Label elements	ce or mixture (EC) No. 1272/2008 [CLP] H315 H318 ents : see section 16 Ith and environmental effects e damage.
2.1. Classification of the substance Classification according to Regulation Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 1 Full text of hazard classes and H-stateme Adverse physicochemical, human heal Causes skin irritation. Causes serious eye 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP)	ce or mixture (EC) No. 1272/2008 [CLP] H315 H318 ents : see section 16 Ith and environmental effects e damage. No. 1272/2008 [CLP] : : : : : : : : : : : : :
Classification of the substance   Classification according to Regulation   Skin corrosion/irritation, Category 2   Gerious eye damage/eye irritation,   Category 1   Full text of hazard classes and H-stateme   Adverse physicochemical, human heal   Causes skin irritation. Causes serious eye   Category 1   Scauses skin irritation. Causes serious eye   Causes skin irritation. Causes serious eye   Category according to Regulation (EC)   Bazard pictograms (CLP)   Signal word (CLP)	Ce or mixture     (EC) No. 1272/2008 [CLP]     H315     H318     ents : see section 16     Ith and environmental effects     e damage.       No. 1272/2008 [CLP]     :     <
Classification of the substance   Classification according to Regulation   Skin corrosion/irritation, Category 2   Serious eye damage/eye irritation,   Category 1   Full text of hazard classes and H-stateme   Adverse physicochemical, human heal   Causes skin irritation. Causes serious eye   2.2. Label elements   Label lements   Jazard pictograms (CLP)   Bignal word (CLP)   Hazardous ingredients	ce or mixture (EC) No. 1272/2008 [CLP] H315 H318 ents : see section 16 Ith and environmental effects e damage. No. 1272/2008 [CLP] : GHS05 : Danger : Portland cement : H315 - Causes skin irritation
Classification of the substance   Classification according to Regulation   Skin corrosion/irritation, Category 2   Serious eye damage/eye irritation,   Category 1   Full text of hazard classes and H-stateme   Adverse physicochemical, human heal   Causes skin irritation. Causes serious eye   2.2. Label elements   Label ling according to Regulation (EC)	ce or mixture (EC) No. 1272/2008 [CLP] H315 H318 ents : see section 16 Ith and environmental effects e damage. No. 1272/2008 [CLP] : : : : : : : : : : : : :

Safety Data Sheet

according to Regulation (EU) 2015/830

## 2.3. Other hazards

PBT: not relevant – no registration required

vPvB: not relevant - no registration required

# SECTION 3: Composition/information on ingredients

# 3.1. Substance

Not applicable

## 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Portland cement	(CAS No) 65997-15-1 (EC no) 266-043-4	> 3	STOT SE 3, H335 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317

Comments

: Chromium (VI) compounds < 2 ppm

## Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: If the person is fully conscious, make him/her drink plenty of water. Never give an unconscious person anything to drink.
4.2. Most important symptoms and effec	ts, both acute and delayed
Symptoms/injuries after skin contact	: Irritation.
Symptoms/injuries after eye contact	: Serious damage to eyes.
4.3. Indication of any immediate medical	attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Non flammable.
5.2. Special hazards arising from the sub	ostance or mixture
Fire hazard	: No fire hazard.
Explosion hazard	: None.
Hazardous decomposition products in case of fire	: None.
5.3. Advice for firefighters	
Precautionary measures fire	: No specific measures are necessary.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
<b>SECTION 6: Accidental release meas</b>	sures
6.1. Personal precautions, protective equ	uipment and emergency procedures
General measures	: Absorb spillage to prevent material damage.
6.1.1. For non-emergency personnel	
Protective equipment	: Precautions for safe handling. See Heading 7.
Emergency procedures	: Avoid contact with skin and eyes.
6.1.2. For emergency responders	
6.1.2. For emergency responders Emergency procedures	: No specific measures are necessary.
6.2. Environmental precautions	
Prevent entry to sewers and public waters.	
6.3. Methods and material for containme	nt and cleaning up
For containment	: Collect spillage.

# Safety Data Sheet

Methods for cleaning up

### according to Regulation (EU) 2015/830

: R	ecover mechanically the product. Minimize generation of dust. Collect spillage. Do n	ot use
CC	mpressed air for cleaning.	

# 6.4. Reference to other sections

For further information refer to section 13. See Heading 8.

SECTION 7: Handling and storag	e
7.1. Precautions for safe handling	
Additional hazards when processed	: See Heading 8.
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Wear protective gloves. Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Storage conditions	: Protect from moisture. Store in a dry place.
Incompatible materials	: None.
Storage area	: dry.

## 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

Portland cement (65997-15-1)		
United Kingdom	Local name	Portland cement
United Kingdom	WEL TWA (mg/m³)	10 mg/m <sup>3</sup> Portland cement inhalable dust; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005); Portland cement respirable dust; 4 mg/m <sup>3</sup> ; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)

### 8.2. Exposure controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

### Personal protective equipment:

Respiratory protection not required in normal conditions. In case of splash hazard: safety glasses. Dust formation: dust mask.

### Hand protection:

### Protective gloves

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	1,0		EN 388

#### Eye protection:

Safety glasses

### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

## In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition	Standard
Disposable half mask	Type P1, Type P2	Dust protection	EN 149



## Environmental exposure controls:

Avoid release to the environment.

# Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physica		: Solid	
Appear	ance	: Powder.	
Colour		: Grey. white.	
Odour		: odourless.	
	hreshold	: No data available	
рН		: 11 - 12.5	
	e evaporation rate (butyl acetate=1)	: No data available : > 1250 °C	
Melting			
Freezin		: Not applicable	
Boiling		: No data available	
Flash p	nition temperature	: Not applicable : Not applicable	
-	position temperature	: No data available	
	ability (solid, gas)	: Non flammable	
	pressure	: No data available	
	e vapour density at 20 °C	: No data available	
	e density	: Not applicable	
Density	,	: 2.75 - 3.2 g/cm <sup>3</sup>	
Solubili		: Water: 0.1 - 1.5 g/l @ 20°C	
Log Po		: No data available	
	y, kinematic	: Not applicable	
	y, dynamic	: No data available	
	ve properties	: None.	
Oxidisir	ig properties	: None.	
	ve limits	: Not applicable	
9.2.	Other information		
Bulk de		: 900 - 1300 kg/m³	
0505		-	
	ION 10: Stability and reactivity	ý	
10.1.	Reactivity		
Reacts	with water.		
10.2.	Chemical stability		
Stable	under normal conditions.		
10.3.	. Possibility of hazardous reactions		
No dan	gerous reactions known under normal c	onditions of use.	
10.4.	Conditions to avoid		
None u	e under recommended storage and handling conditions (see section 7).		
10.5.	Incompatible materials		
Acids. a	s. ammonium salts. Aluminium.		
10.6.			
	No hazardous decomposition products known.		
SECT	ION 11: Toxicological informa	ition	
11.1.			
Acute to	oxicity	: Not classified	
Skin co	kin corrosion/irritation : Causes skin irritation.		
		pH: 11 - 12.5	
		· · · · · ·	
Serious	eye damage/irritation	: Causes serious eye damage.	

		pH: 11 - 12.5
Serious eye damage/irritation	:	Causes serious eye damag
		pH: 11 - 12.5
Respiratory or skin sensitisation	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
Specific target organ toxicity (single exposure)	:	Not classified

# Safety Data Sheet

,	
according to Regulation (EU) 2015/830	
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Irritation: severely irritant to eyes.
<b>SECTION 12: Ecological information</b>	n
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Portland cement (65997-15-1)	
LC50 fish 1	> 1000 mg/l (LC50; 96 h)
12.2. Persistence and degradability	
ARDEX FA 10	Net applicable Increanic Darticulate Substances
Persistence and degradability	Not applicable. Inorganic Particulate Substances.
Portland cement (65997-15-1)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
12.3. Bioaccumulative potential	
ARDEX FA 10	
Bioaccumulative potential	No bioaccumulation.
Portland cement (65997-15-1)	
Bioaccumulative potential	Bioaccumulation: not applicable.
12.4. Mobility in soil	
ARDEX FA 10	
Ecology - soil	None.
12.5. Results of PBT and vPvB assessm	ent
ARDEX FA 10	
PBT: not relevant – no registration required	
vPvB: not relevant – no registration required	
12.6. Other adverse effects	

# No additional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Regional legislation (waste)	: Disposal must be done according to official regulations.	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.	
Ecology - waste materials	: Avoid release to the environment.	
European List of Waste (LoW) code	: 17 01 01 - concrete 10 13 14 - waste concrete and concrete sludge	

# SECTION 14: Transport information

In accordance with ADR / IATA / IMDG			
ADR	IMDG	ΙΑΤΑ	
14.1. UN number			
Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	
Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	
Not applicable	Not applicable	Not applicable	

# Safety Data Sheet

according to Regulation (EU) 2015/830

ADR	IMDG	ΙΑΤΑ	
14.4. Packing group			
Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	
No supplementary information available			

## 14.6. Special precautions for user

### - Overland transport

Not applicable

### - Transport by sea

Not applicable

#### - Air transport

Not applicable

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

#### Full text of H- and EUH-statements:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H335	May cause respiratory irritation

#### ARDEX SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product