

Safety Data Sheet according to Regulation (EU) 2015/830 Date of issue: 1/6/2017 Revision date:



Supersedes:

Version: 1.0

.1. Product identifier	e substance/mixture and of the company/undertaking
Product form	: Mixture
roduct name	: ARDEX S 28 White / Grey
roduct code	: 18323; 18324
	. 10525, 10524
2. Relevant identified uses of the	ne substance or mixture and uses advised against
2.1. Relevant identified uses	
ain use category	: Consumer use, Professional use
se of the substance/mixture	: Tiling Adhesives
2.2. Uses advised against	
o additional information available	
3. Details of the supplier of the	safety data sheet
lanufacturer rdex UK Limited omefield Road B9 8QP Haverhill Suffolk 01440 714939 - F 01440 716667 afetydatasheets@ardex.co.uk	
4. Emergency telephone number	er de la constant de
mergency number	: +44 (0) 870 190 6777 24 Hours
ECTION 2: Hazards identifica	tion
1. Classification of the substan	ce or mixture
lassification according to Regulation	(EC) No. 1272/2008 [CLP]
kin corrosion/irritation, Category 2	H315
kin corrosion/irritation, Category 2 erious eye damage/eye irritation,	
kin corrosion/irritation, Category 2 erious eye damage/eye irritation, ategory 1	H315 H318
kin corrosion/irritation, Category 2 erious eye damage/eye irritation, ategory 1	H315 H318
kin corrosion/irritation, Category 2 erious eye damage/eye irritation, ategory 1 Jll text of hazard classes and H-stateme dverse physicochemical, human hea	H315 H318 ents : see section 16 Ith and environmental effects
kin corrosion/irritation, Category 2 erious eye damage/eye irritation, ategory 1 Ill text of hazard classes and H-stateme dverse physicochemical, human hea auses skin irritation. Causes serious ey	H315 H318 ents : see section 16 Ith and environmental effects
	H315 H318 ents : see section 16 Ith and environmental effects e damage.
kin corrosion/irritation, Category 2 erious eye damage/eye irritation, category 1 full text of hazard classes and H-stateme adverse physicochemical, human hea causes skin irritation. Causes serious ey .2. Label elements abelling according to Regulation (EC	H315 H318 ents : see section 16 Ith and environmental effects e damage.
kin corrosion/irritation, Category 2 erious eye damage/eye irritation, ategory 1 ull text of hazard classes and H-stateme dverse physicochemical, human hea auses skin irritation. Causes serious ey 2. Label elements abelling according to Regulation (EC	H315 H318 ents : see section 16 Ith and environmental effects e damage.
kin corrosion/irritation, Category 2 erious eye damage/eye irritation, ategory 1 ull text of hazard classes and H-stateme dverse physicochemical, human hea auses skin irritation. Causes serious ey 2. Label elements abelling according to Regulation (EC azard pictograms (CLP)	H315 H318 ents : see section 16 Ith and environmental effects e damage.) No. 1272/2008 [CLP]
kin corrosion/irritation, Category 2 erious eye damage/eye irritation, ategory 1 ull text of hazard classes and H-stateme dverse physicochemical, human hea auses skin irritation. Causes serious ey 2. Label elements abelling according to Regulation (EC azard pictograms (CLP)	H315 H318 ents : see section 16 Ith and environmental effects e damage.) No. 1272/2008 [CLP] : GHS05
kin corrosion/irritation, Category 2 erious eye damage/eye irritation, ategory 1 ull text of hazard classes and H-stateme dverse physicochemical, human hea auses skin irritation. Causes serious ey .2. Label elements abelling according to Regulation (EC azard pictograms (CLP) ignal word (CLP) azardous ingredients	H315 H318 ents : see section 16 Ith and environmental effects e damage.) No. 1272/2008 [CLP] : : : : : : : : : : : : : : : : : : :
kin corrosion/irritation, Category 2 erious eye damage/eye irritation, category 1 ull text of hazard classes and H-stateme dverse physicochemical, human hea causes skin irritation. Causes serious ey .2. Label elements	H315 H318 ents : see section 16 Ith and environmental effects e damage.) No. 1272/2008 [CLP] : GHS05 : Danger : Portland cement

Safety Data Sheet

according to Regulation (EU) 2015/830

2.3. Other hazards

PBT: not relevant – no registration required vPvB: not relevant – no registration required

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Portland cement	(CAS No) 65997-15-1 (EC no) 266-043-4	> 3	STOT SE 3, H335 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317

Comments

: Chromium (VI) compounds < 2 ppm

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: If the person is fully conscious, make him/her drink plenty of water. Never give an unconscious person anything to drink.
4.2. Most important symptoms and effect	cts, both acute and delayed
Symptoms/injuries after skin contact	: Irritation.
Symptoms/injuries after eye contact	: Serious damage to eyes.
4.3. Indication of any immediate medica	I attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Non flammable.
5.2. Special hazards arising from the su	bstance or mixture
Fire hazard	: No fire hazard.
Explosion hazard	: None.
Hazardous decomposition products in case of fire	: None.
5.3. Advice for firefighters	
Precautionary measures fire	: No specific measures are necessary.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
General measures	: Absorb spillage to prevent material damage.
6.1.1. For non-emergency personnel	
Protective equipment	: Precautions for safe handling. See Heading 7.
Emergency procedures	: Avoid contact with skin and eyes.
6.1.2. For emergency responders	
6.1.2. For emergency responders Emergency procedures	: No specific measures are necessary.
6.2. Environmental precautions	
Prevent entry to sewers and public waters.	
6.3. Methods and material for containme	ent and cleaning up
For containment	: Collect spillage.
	-

Safety Data Sheet

according to Regulation (EU) 2015/830

Mathada far alganing up	· Receiver mechanically the product Minimize concretion of duct. Collect children, Do not use
Methods for cleaning up	: Recover mechanically the product. Minimize generation of dust. Collect spillage. Do not use compressed air for cleaning.
6.4. Reference to other se	ctions
For further information refer to se	ction 13. See Heading 8.
SECTION 7: Handling and	d storage
7.1. Precautions for safe h	andling
Additional hazards when process	ed : See Heading 8.
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Wear protective gloves. Do not eat, drink or smoke when using this product.
7.0 Conditions for sofe of	

7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Protect from moisture. Store in a dry place.	
Incompatible materials	: None.	
Storage area	: dry.	

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

Control parameters 8.1. Portland cement (65997-15-1) United Kingdom Local name Portland cement WEL TWA (mg/m³) United Kingdom 10 mg/m³ Portland cement inhalable dust; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005); Portland cement respirable dust; 4 mg/m³; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)

Exposure controls 8.2.

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Respiratory protection not required in normal conditions. In case of splash hazard: safety glasses. Dust formation: dust mask.

Hand protection:

Protective gloves

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	1,0		EN 388

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition	Standard
Disposable half mask	Type P1, Type P2	Dust protection	EN 149



Environmental exposure controls:

Avoid release to the environment.

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 9: Physical and chemica	
9.1. Information on basic physical and	: Solid
Physical state	
Appearance	: Powder.
Colour	: Grey. white.
Odour	: odourless.
Odour threshold	: No data available
pH	: 11 - 12.5
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: > 1250 °C
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: Not applicable
Density	: 2.75 - 3.2 g/cm ³
Solubility	: Water: 0.1 - 1.5 g/l @ 20°C
Log Pow	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: None.
Oxidising properties	: None.
Explosive limits	: Not applicable
9.2. Other information	
Bulk density	: 900 - 1300 kg/m³
SECTION 10: Stability and reactivi	ty
10.1. Reactivity	
Reacts with water.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reaction	
No dangerous reactions known under normal	
-	
10.4. Conditions to avoid	
None under recommended storage and handl	ing conditions (see section 7).
10.5. Incompatible materials	
Acids. ammonium salts. Aluminium.	
10.6. Hazardous decomposition produc	cts
No hazardous decomposition products known	
SECTION 11: Toxicological inform	ation
11.1. Information on toxicological effect	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
	pH: 11 - 12.5
Serious eye damage/irritation	: Causes serious eye damage.
	pH: 11 - 12.5
Respiratory or skin sensitisation	: Not classified

Safety Data Sheet

cording to Regulation (EU) 2015/830	
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Irritation: severely irritant to eyes.
SECTION 12: Ecological informatior	1
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Portland cement (65997-15-1)	
LC50 fish 1	> 1000 mg/l (LC50; 96 h)
12.2. Persistence and degradability	
ARDEX S 28 White / Grey Persistence and degradability	Not applicable. Inorganic Particulate Substances.
Portland cement (65997-15-1)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
12.3. Bioaccumulative potential	
ARDEX S 28 White / Grey	
Bioaccumulative potential	No bioaccumulation.
Portland cement (65997-15-1)	
Bioaccumulative potential	Bioaccumulation: not applicable.
12.4. Mobility in soil	
ARDEX S 28 White / Grey	
Ecology - soil	None.
12.5. Results of PBT and vPvB assessme	nat
ARDEX S 28 White / Grey	
PBT: not relevant – no registration required	
vPvB: not relevant – no registration required	
12.6. Other adverse effects	
No additional information available	

13.1. Waste treatment methods	
Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.
Ecology - waste materials	: Avoid release to the environment.
European List of Waste (LoW) code	: 17 01 01 - concrete 10 13 14 - waste concrete and concrete sludge

SECTION 14: Transport information

In accordance with ADR / IATA / IMDG			
ADR	IMDG	ΙΑΤΑ	
14.1. UN number			
Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	
Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	
Not applicable	Not applicable	Not applicable	

Safety Data Sheet

according to Regulation (EU) 2015/830

ADR	IMDG	ΙΑΤΑ	
14.4. Packing group			
Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	
No supplementary information available			

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H335	May cause respiratory irritation

ARDEX SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product